




BATS



Powered by:  bax

Interreg
Baltic Sea Region



Co-funded by
the European Union

SMART GREEN MOBILITY



BATS

The BATS project, co-funded by the Interreg Baltic Sea Region 2021-2027, helps drive the transition to a green and resilient Baltic Sea Region.

#madewithinterreg interreg-baltic.eu/project/bats/





Status BATS YRAM Experiments

 Preparation

 Implementation

-  Lighting & projectors
-  Protective elements & infrastructure
-  Traffic control and modelling
-  Maintenance & winter services
-  YRAM Campaigns

Altona

-  Protective Elements for the Reventlowstraße
-  Walking safety for tunnels

Umeå

-  Communication system winter maintenance and YRAM
-  Light Projection Project
-  Loan of e-bikes

Kalundborg

-  Retrofitting & Winter Maintenance at Elmegade
-  Light the bike lane - Connection to Rynkevangen
-  Bike all year round

Porvoo

-  Interactive virtual reality modelling of a planned new AM infrastructure
-  “winter agents programme” to enhance interaction around snow cleaning

  Co-funded by the European Union

Gdynia

-  Optimalisation of traffic signalisation taking into account weather conditions
-  YRAM hubs and campaigns in kindergartens

SMART GREEN MOBILITY 

Kiili (HOL)

-  YRAM road maintenance
-  YRAM promotion through schools in Kiili

Klaipeda

-  Bike path lightening
-  Monitoring of bicycle path pavement condition

BATS toolkits



YRAM Monitoring Guidance user manual

For the planners who dare to care

Jacek Oskarbski
Konrad Biszko
Daniel Kaszubowski



Citizen Activation Guide: Promoting Year-Round Active Mobility (YRAM)

For the planners who care




Campaign in schools and kindergartens in Gdynia






Division of trips to kindergarten and school at the beginning and end of the campaign






Preferred travel mode to kindergarten and school at the beginning and end of the campaign





How far from the kindergarten or school do you live?





Summary of teachers' statements

- In summary, the results of the analysis indicate that respondents primarily **expect an expansion and enhancement of educational activities** through workshops, ready-made teaching materials, and formats that engage both children and parents.

These suggestions highlight the need for a comprehensive approach to campaign implementation, based on practical experience, age-appropriate content, and strengthening the role of adults in shaping children's pro-environmental attitudes.



Summary of parents' opinions

Overall, the responses indicate that the campaign is perceived as a necessary and valuable initiative;

Its further development requires better adaptation to the real-life circumstances of families, stronger informational communication, and a more empathetic and flexible approach to children's participation.

BATS Weather-Responsive Program Selection — Overview

**Weather Detection
Algorithm for Traffic
Signal Control**

**Advanced algorithm implementation for dynamic,
weather-responsive traffic signal management
system with thermal imaging integration**

Jacek Oskarbski, Tomasz Marcinkowski, Karol Żarski

BATS Weather-Responsive Program Selection — Overview

✓ Existing Infrastructure

📷 Thermal Imaging Detection

Successfully installed and integrated in previous year

🚶 Pedestrian & Cyclist Detection

Earlier and more reliable detection capabilities

🔗 System Integration

Fully integrated with traffic controller system

📊 Real-time Data Foundation

Provides critical environmental and traffic data for new algorithm

Current deployment status

- Signal plans are currently switched manually to collect data and estimate effectiveness KPIs.
- The automated selection algorithm is planned to be ready by mid-February 2026 (latest: end of February 2026).
- Thermal (IR) detection for earlier pedestrian & cyclist detection was installed and integrated with the controller last year; traffic control programmes were developed last year; remaining work is algorithm refinement and

⚠️ Manual Operation Challenges

- 🕒 Time-consuming manual process for changing signal programs
 - 👥 Resource-intensive operations requiring constant operator attention
 - 👤× High risk of human error in manual signal program selection
 - 🚫 Inability to respond dynamically to real-time conditions
- Suboptimal traffic flow and reduced safety performance

BATS Weather-Responsive Program Selection — Overview

What the algorithm does

- Selects the appropriate signal plan (P1–P8) based on current weather, pavement condition, and operational constraints.
- Targets safer and more comfortable crossings by adapting pedestrian timings to weather-driven behavior changes.
- Adds safeguards so that weather plans do not degrade traffic operation beyond acceptable limits.

Key inputs

- Weather station: air temperature, precipitation type/state, precipitation intensity.
- Road surface sensor: dry / wet / contaminated / black ice (and related states).
- Traffic volumes (north & south approaches) used to gate activation of some weather plans.

⚙️ Program Activation Conditions

<h4>P5 (Rain)</h4>  <ul style="list-style-type: none">• Traffic < 390 veh/15 min• Precipitation: Rain/Sleet• Intensity > 0.1 mm/10 min	<h4>P6 (Snow)</h4>  <ul style="list-style-type: none">• Traffic > 1000 veh/h• Precipitation: Snow/Sleet• Intensity > 0.1 mm/10 min
<h4>P7 (Heat)</h4>  <ul style="list-style-type: none">• Air Temp > 21°C• Effectiveness limited during high traffic volumes	<h4>P8 (Ice)</h4>  <ul style="list-style-type: none">• Surface state: Black Ice (Gołoledź)• No specific traffic threshold

⚠️ Critical Traffic Thresholds

Programs P5 & P6 are immediately deactivated if traffic volume on the north or south approach exceeds 390 vehicles per 15 minutes to prevent congestion exacerbation.

Decision Logic & Operational Thresholds

Core selection rules

- Weather & pavement conditions select a dedicated plan: rain/snow (P5–P6), heat (P7), or black ice (P8).
- Activation is stabilized using persistence: switch ON after 2 consecutive intervals meet criteria; switch OFF after 2–3 intervals no longer meet criteria.
- If multiple conditions overlap, prioritize safety-critical scenarios (e.g., black ice over precipitation).

Weather condition triggers (current)

P5 / P6 — Rain or snow


- Enable when precipitation is snow, OR rain with intensity > 0.1 mm / 10 min.
- Use traffic conditions to choose plan (proposal):
 - P5: lower traffic (\approx below 1000 veh/h/approach)
 - P6: higher traffic (\approx above 1000 veh/h/approach)
- Operational gate (to avoid PSR E): only start if BOTH N/S approaches < 390 veh / 15 min; stop if threshold is exceeded on any approach.

P7 — Heat

- Enable when air temperature $> 21^\circ\text{C}$ (pedestrian speed drop observed).
- Traffic threshold for activation/deactivation: 480 veh / 15 min.

P8 — Black ice

- Enable when pavement state indicates black ice.
- Traffic threshold for activation/deactivation: 340 veh / 15 min.
- Note: the shared diagram labels black ice as P6; correct plan is P8.



Decision flow (simplified)

Roadmap: Manual → Semi-Automatic Operation

Why we are switching manually now

- Current manual switching is intentional: it builds a dataset to estimate effectiveness KPIs (safety, delay, compliance) before automation.
- The same thresholds used by the algorithm are applied by operators, creating comparable “before/after” observations.

Implementation timeline

2025 (done)

Thermal (IR) detection installed
Controller integration completed
Operator interface available



Now (Jan–Feb 2026)

Manual plan switching for data
Finalize thresholds & persistence
Validate against traffic impacts



Mid-Feb → End-Feb 2026

Algorithm ready for deployment
Semi-automatic mode enabled
(operator confirm ON; auto OFF)



Next step (optional)

Full automation (no
confirmation)
after KPI review & safety sign-off

Semi-automatic behavior (target mode)

- Operator is notified when a boundary condition occurs (e.g., rain intensity threshold, black ice, heat).
- Operator confirms switching to the dedicated program (P5–P8).
- The system automatically returns to the baseline program once the triggering conditions cease (after persistence rules).



Kalundborg

Add a picture from each experiment and include a short update on the following questions

1. What have you implemented in the last winter period
2. What has been your most interesting result
3. What is left to do before concluding the experiment





Kalundborg

1. What have we implemented

1. Guiding biker's through our missing Link with small lights

Nudging with dots – showing a bikeroute





Results

Results – most of the result from our testgroup responded to our question about our nudging, that the color should have been blue, because that is the "normal" color for bike signs in Denmark



Union of Harju County Municipalities



HOL: Winter tire installation workshop – Bike tuning Day, 14.11.25)

A total of **55 winter tires** for bicycles were purchased, benefiting from a 32% discount from the local company Veloplus, as well as approximately 20% support from the BATS project.





HOL: Bicycle count in the school parking lot - Illuminated pedestrian crossing sign – Webinar YRAM school campaigns, 14.01.26

2024/2025 academic year

08.10.24 - +6°C - 157 bikes

06.12.2024 - -5°C - 35 bikes

2025/2026 academic year

30.09.2025 - 0°C - 171 bikes

05.12.2025 - +1.5C - 86 bikes


(32 with studded tyres)





HOL: Winter maintenance study


- Introducing Year-Round Active Mobility
- Stakeholder Mapping
- Analysing Legal Framework
- Examples from European Cities
- Interviews and Results
- Practices of Municipalities in Harju County
- Comparison of International Best Practices
- Winter Maintenance System Mapping
- Examples of Problematic Locations
- Recommendations for the Future





HOL: Winter maintenance study – Good Practice Cards

6 Pimedus



Ruumiprobleem
Hirm pimedates kohtades kõndimise ees


Probleem jalakäijale
Puudulik valgustus rattataristul

Probleem ratturile
Halb valgustus loob ebaturvalisi alasid

Anduritega nutikad valgustussüsteemid
Kopenhaagen: liikumisanduritega nutikas valgustus

Kopenhaagen on rakendanud kogu linnas nutika valgustuse uuenduse. LED-laternad on ühendatud liikumisandurite ja adaptiivsete juhtimissüsteemidega. Tulemused: üle 18 800 valgusti (umbes pool linna valgustuspargist) on välja vahetatud valgustid reguleerivad eredust automaatselt vastavalt jalakäijate, ratturite või sõidukite liikumisele märkimisväärse energiasääst ja suurem ohutus

3 Külm



Ruumiprobleem
Tuulekülm mõjutab paljast nahka

Probleem jalakäijale
Tuulekülm tekitab ohtliku külmakäitumise

Probleem ratturile
Tuulekülm vähendab kasutatavaid väliruume

Wind protection Tuulekaitse ja mikroklimaatiline disain design
Helsingi: ulatuslik tuulekaitsega linnaplaneerimine

Helsingi strateegiadokumendid — sealhulgas Helsingi linna strateegia ja mitmed kliimakoohanemise kavad — käsitlevad tugevaid tuuli selgesõnaliselt kui äärmuslikku ilmastikunähtust, mis nõuab ennetavaid maandamismeetmeid. Üks keskne põhimõte on „suurenenud tuulerõhu kontroll“ kõikides uutes arendustes.

14 Äärmuslik külm



Ruumiprobleem

Probleem jalakäijale
Külm temperatuur tühendab elektrirattaste akusid kiiremini ja metallosad muutuvad rabedaks

Probleem ratturile
Äärmuslik temperatuur mõjutab materjalide omadusi

Külmakindlate materjalide nõuded
Fairbanks: arktilised ehitusstandardid

Fairbanks järgib Alaska ehitusnorme, mis põhinevad rahvusvahelisel ehitusnormidel, kuid sisaldavad spetsiifilisi muudatusi igikeltsa ja külma kliima jaoks, nõudes vähemalt 42 tolli sügavust vundamendi all, et vältida külmakerke.



[Title page](#) / [Bicycles](#) / [Weather station](#)

[Bicycle storage rules](#)

[Order a permit online](#)

[Map of bicycle storage facilities](#)

[Permit application form](#)

[Weather station](#)

A weather station has been added to our website for public access.

Weather station

This page presents the actual condition of the bicycle path pavement on the bridge street.

 **Klaipeda**

January 29, 2026 7:46:16 AM


Tiltu st 3 minutes ago

Security summary	Road data				Current weather conditions 7:00 AM			
<p>Current conditions SLIPPERY </p> <p>Estimated conditions 2h DRY </p> <p>Road temperature -10.4 °C</p> <p>Water film height 0.00 mm</p> <p>Snow height 0.85 mm</p>	<p>Road condition SLIPPERY</p> <p>Water film height 0.00 mm</p> <p>Snow height 0.85 mm</p>	<p>Road temperature -10.4 °C</p> <p>Friction coefficient 0.31</p>	<p>Freezing point -</p> <p>Salt concentration -</p>	<p>Weather conditions Clear</p> <p>Air temperature -12.5 °C</p>	<p>Humidity 84.0 %</p>	<p>Wind speed 4.0 m/s</p> <p>Wind direction 057°</p>	<p>Pressure 1011.0 hPa</p> <p>Rain 0.0 mm</p>	

Klaipėda



"Is it the light festival already, or is this a new installation of bicycle icons? Either turn them off or shovel the snow off them 🙄 Klaipėda City Municipality?? Maybe save the money of Klaipėda's residents and don't waste electricity for no reason – thanks!"



Klaipėda



Klaipėda

One day !
Just one day !
And it's already sorted !!

 Agnė Paulauskienė
14 val. · 🌐

Viena diena ! Tik viena diena ! Ir jau tvarka !!




👍 12

Komentų: 5




Klaipėda






PLANNING FOR DISCUSSIONS





PLANNING FOR DISCUSSIONS





Umeå

- Winter Agents
- Winter marketing films for winter cycling (social media)
- Winter cycling activity with maintenance contractors






Umeå

E-bike lending
during winter

Three new
projections



Hamburg-Altona



Hamburg-Altona



BATS
BALTIC SEA REGION ACTIVE
MOBILITY SOLUTIONS

1. Ist Ihnen das projizierte Bild im Tunnel aufgefallen?

Ja ●●●●

Nein ●●●●

Unsicher ●●●●

2. Wie haben Sie sich im Tunnel mit dem projizierten Bild im Vergleich zu ohne Bild gefühlt?

Hat meine Aufmerksamkeit auf sich gezogen ●●●●

Hat mein Gefühl im Tunnel positiv beeinflusst ●●●●

Hat mein Gefühl im Tunnel negativ beeinflusst ●●●●

Hatte keinen Einfluss ●●●●

3. Wie empfinden Sie Ihre Sicherheit im Tunnel mit dem projizierten Bild?

Ich fühle mich sicherer ●●●●

Es hat sich nichts verändert ●●●●

Ich fühle mich unsicherer ●●●●

4. Mit welchem Verkehrsmittel sind Sie heute im Tunnel unterwegs?

Bicycle ●●●●

Walking with umbrella ●●●●

interreg Baltic Sea Region Co-funded by the European Union SMART GREEN MOBILITY BATS

Hamburg-Altona



Radverkehr Reventlowstraße

Herzlich Willkommen zur Umfrage

Hallo!

Danke, dass du an dieser Umfrage teilnimmst!

Wir von der Hansestadt Hamburg (Bezirksamt Altona), möchten herausfinden, wie du die Kreuzung Reventlowstraße/Walderseestraße beim Radfahren erlebst – besonders jetzt, wo dort neue Schutzelemente zum Schutz von Radfahrenden ausprobiert werden (siehe Bilder). Deine Meinung ist uns sehr wichtig, denn sie hilft dabei, Straßen und Wege für alle, die mit dem Fahrrad unterwegs sind, sicherer und angenehmer zu machen.

Bevor du mit der Umfrage beginnst, schau dir bitte die angezeigten Bilder der **Schutzelemente ganz genau** an. Sie sollen dir helfen, dich an die Kreuzung und an die Verkehrssituation dort zu erinnern und dir ein gutes Bild davon zu machen.



links: Orcas und Pylone; mittig: Orcas; rechts: Pylone; unten: Hochbord

Die Umfrage dauert nur ein paar Minuten. Es gibt keine richtigen oder falschen Antworten – wichtig ist nur, was du denkst und wie du die Fahrt erlebt hast. Deine Angaben bleiben selbstverständlich anonym.

Vielen Dank für deine Unterstützung!

Neue Befragung
beginnen

Anmeldung



BATS-Umfrage

Bitte eine Antwort auswählen

Wie oft fährst du normalerweise über die Kreuzung Reventlowstraße/Walderseestraße mit dem Fahrrad?

Bitte eine Antwort auswählen

fast täglich

1-3 Mal pro Woche

1-3 Mal im Monat

seltener

heute das erste Mal

Wie sicher fühlst du dich normalerweise an der Kreuzung Reventlowstraße/Walderseestraße?

Bitte eine Antwort auswählen

Sehr unsicher

unsicher

mittel

sicher

Sehr sicher

Die Schutzelemente (Pylonen oder Orcas) haben mich gut genug vom Autoverkehr getrennt.

Bitte eine Antwort auswählen

stimme gar nicht zu

stimme eher nicht zu

teils/teils

stimme eher zu

stimme voll zu

Die erhöhte Bordsteinkante (Hochbord) hat mich gut genug vom Autoverkehr getrennt.

Bitte eine Antwort auswählen

stimme gar nicht zu

stimme eher nicht zu

teils/teils

stimme eher zu

stimme voll zu

Wie angenehm fandest du das Radfahren insgesamt an der Kreuzung Reventlowstraße/Walderseestraße?

Bitte eine Antwort auswählen

schlecht

eher schlecht

mittel

eher gut

sehr gut

Die Wegführung/Markierungen an der Kreuzung Reventlowstraße/Walderseestraße waren für mich leicht zu verstehen.

Bitte eine Antwort auswählen

stimme gar nicht zu

stimme eher nicht zu

teils/teils

stimme eher zu

stimme voll zu

Der Zustand der Schutzelemente (z. B. Laub, Nässe, Sichtbarkeit) war für mich in Ordnung.

Bitte eine Antwort auswählen

stimme gar nicht zu

stimme eher nicht zu

teils/teils

stimme eher zu

stimme voll zu

Wie zufrieden bist du insgesamt mit der Strecke an der Kreuzung Reventlowstraße/Walderseestraße mit den neuen Schutzelementen?

Bitte eine Antwort auswählen

sehr unzufrieden

eher unzufrieden

teils/teils

eher zufrieden

sehr zufrieden



Winter maintenance

- Winter agents -> an anonymous feedback survey and a separate targeted citizen panel (using personas)
- After the previous winter season new maintenance equipment, work load swaps between the city and the state, more responsibilities (in street km:s) for the city
- Done: a monitoring workshop, the first set of KPIs, the relaunch of the last winter feedback survey, a separate profile survey with personas drafted



Winter maintenance

- After PM7 (ending in May): the final assessment of the KPIs, a comparative analysis of the feedback survey, the second event with the panelists
- Lesson thus far: some citizens eager to participate, the maintenance professionals more wary





Cycling simulator

- Done: the equipment, venues secured, 3D visualisation mostly done, connecting the bike and the 3D model progressing
- Before PM7: the simulation running, most bugs and glitches fixed, early results from experimenting with planners
- After PM7 (ending in August): finalizing the model, testing with more planners and politicians, citizen participation with the help of CAG
- Lesson thus far: the simulation as a boundary object

Poorvo



Interreg
Baltic Sea Region



Co-funded by
the European Union

SMART GREEN MOBILITY
BATS



UPCOMING ACTIVITIES & PLANNING





COMS: Webinar promotion

<https://interreg-baltic.eu/event/bats-webinar-why-dont-they-go-by-night-integrating-womens-needs-into-yram/>

The screenshot shows the website header with the Interreg Baltic Sea Region logo, the European Union flag, and the text 'Co-funded by the European Union'. Navigation links include 'Jobs', 'Find partners', 'Bamos+', 'Subscribe', and 'Log in'. A search icon is also present. Below the header is a navigation menu with 'ABOUT US', 'FUNDING', 'PROJECTS', and 'CONTACTS'. The main content area features a dark blue background with white text for the webinar title: 'BATS Webinar: Why Don't They Go By Night? Integrating Women's Needs Into YRAM'. It identifies the project as 'Project: BATS' and a 'Virtual event'. A yellow box on the right contains the BATS logo and the webinar details: 'Webinar: Why Don't They Go By Night? Integrating Women's Needs into YRAM' on '10 March 2026' from '11:00 - 12:00 CET'. A light blue footer section provides 'Date & Time' (10. March 2026, 11:00 - 12:00 (CET)) and 'Venue' (Virtual event).



THANK YOU FOR JOINING!

